



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2025/B/6046091
Dated/दिनांक : 12-03-2025

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	02-04-2025 12:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	02-04-2025 12:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	65 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Education
Department Name/विभाग का नाम	Department Of Higher Education
Organisation Name/संगठन का नाम	Indian Institute Of Technology (iit)
Office Name/कार्यालय का नाम	Ropar
क्रेता ईमेल/Buyer Email	buycon543.iiti.pb@gembuyer.in
Total Quantity/कुल मात्रा	7458

Bid Details/बिड विवरण	
Item Category/मद केटेगरी	6 Module Pvc box , 8 Module Pvc box , 12 Module Pvc box , 6 Module sheet , 8 Module sheet , 12 Module sheet , switch 10 Amp , switch 20 Amp , Socket 10 Amp , Socket 20 Amp , Two way switch 20 Amp , 2 Module swich 25 Amp , 2 Module Fan Regulator , Surface Mounted Ceiling light 15 watt , Ceiling Round light 12 w , Fan Capacitor 2.5 MFD , Pvc Batten 32 mm , Pvc Batten 25 mm , Pvc Pipe 25 mm , Pvc Bend 25 mm , J.B 25 mm , Pvc Gitti 6 mm , Batten Gitti , Pvc Saddle 25 mm , Isulation tape , Flood light 50 watt , Flood light 150 watt , Flexiable Pipe 25 mm , Cable FR LSH 2 core zero point zero seven five sq mm of Copper , Cable FR LGH 3 core One Point Five sq mm of Copper , Cable FR-LSH 3 core Two Point Five sq mm of of Copper , Cable FR-LSH 3 core 4 sq mm of Copper , Cable FR-LSH 3 core 6 sq mm of Copper , Aluminium cable 4 core 10 sq mm armoured , Copper Ring Type Thimble 16 Sq mm , Copper Ring Type Thimble 35 Sq mm , Aluminium Thimble Ring Type 6 x 10 Sq mm , Aluminium Thimble Ring Type 6 x 16 Sq mm , Aluminium Thimble Straight Type 10 Sq mm , Aluminium Thimble Straight Type 16 Sq mm , Aluminium Thimble Ring Type 25 Sq mm , Aluminium Thimble Ring Type 35 Sq mm , Aluminium Thimble Ring Type 50 Sq mm , Aluminium Thimble Ring Type 95 Sq mm , Aluminium Thimble Ring Type 120 Sq mm , Aluminium Thimble Ring Type 150 Sq mm , Aluminium Thimble Ring Type 185 Sq mm , Aluminium Thimble Ring Type 240 Sq mm , Aluminium Thimble Ring Type 300 Sq mm , Aluminium Thimble Ring Type 400 Sq mm , Fan Bearing 6201 , Fan Bearing 6202 , Bearing Puller , Red Gel Grease , Ht Tape , Silca Gel Transformer , Steel wire , Panel lock Power coated pin type , Panel lock Push pin type , Aluminium Thimble pin Type 4mm Sq mm , Aluminium Thimble pin Type 6 Sq mm , Aluminium Thimble pin Type 10 Sq mm , Aluminium Thimble pin Type 16 Sq mm , Aluminium Thimble U Type 2.5 Sq mm , Aluminium Thimble U Type 4 Sq mm , Aluminium Thimble U Type 6 Sq mm , Aluminium Thimble U Type 10 Sq mm , Copper Thimble Ring Type 6 x 2.5 Sq mm , MCB SINGLE POLE 6 AMP TRIPING RANGE -C , MCB SINGLE POLE 16 AMP TRIPING RANGE -C , Extension Borad , Plug Top 6 amp , Plug Top 16 amp , Fan Clamp , Geyser Element 2000W , Themostate , Ovicart 30A 3Way Bakelite Connector black , Charcoal , Salt , Coolant DG , L -Key Scerw 8 mm x 2 inch , L -Key Scerw 5 mm x 2 inch , Street Light Pole Mcb Box Closed Plate , Digital timer Switch cat no 67DDT0 -110 V -240 V AC , Battery Water , Sleev 4 mm , Driver Led 40 watt Zero Pint Seven Amp Philips Xitanium 45 - 58 v Dc , Mcpcha 16 Led Seoul 3535 4000 cct size 102 and half 5 x 102 and half mm , Battery terminals , Gi Nut Bolt with washer 8 x 40 mm , Gi Nut Bolt with washer 10 x 50 mm , Gi Nut Bolt with washer 6 x 35 mm , GI Strip 25 x 5 mm , Bakelite Connector Plate 63 amp 4 Bolt Type 3PH , Wire 1.5 sqmm single core copper FR-LSH , Wire 2.5 sqmm single core copper FR-LSH , Wire 4 sqmm single core copper FR-LSH , Wire 6 sqmm single core copper FR-LSH , Meco 27 Auto Digital Clamp Meter 600 amp , 66 KV Line Gloves , 11 kv Line Gloves , 66 Line Discharge Rod , Tool Bag , Nose Plier , Plier , Screw Driver 2 in one with Sleev 12 inch , Screw Driver 2 in one with Sleev 6inch , L- Key Set , Hack saw Blade double side , Grees Gun , Totta Wranch , Slide Wranch 12 mm , Slide Wranch 8mm , oil kuppi , Pipe Wranch Small Side , Ring Snanner Set , Screw Driver Kit , Hammer 250 gm , Thimble Crimping Tool upto 10sqmm

Bid Details	Bidding Item
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	6 Module Pvc box, 8 Module Pvc box, 12 Module Pvc box, 6 Module sheet, 8 Module sheet, 12 Module sheet, switch 10 Amp, switch 20 Amp, Socket 10 Amp, Socket 20 Amp, Two way switch 20 Amp, 2 Module switch 25 Amp, 2 Module Fan Regulator, 2 Module Fan Regulator, Surface Mounted Ceiling light 15 watt, Ceiling Round light 12 w, Fan Capacitor 2.5 MFD, Pvc Batten 32 mm, Pvc Batten 25 mm, Pvc Pipe 25 mm, Pvc Bend 25 mm, J.B 25 mm, Pvc Gitti 6 mm, Batten Gitti, Pvc Saddle 25 mm, Isulation tape, Flood light 50 watt, Flood light 150 watt, Flexiable Pipe 25 mm, Cable FR-LSH 2 core 0.75 sq mm (copper), Cable FR-LGH 3 core 1.5 sq mm (copper), Cable FR-LSH 3 core 2.5 sq mm (copper), Cable FR-LSH 3 core 4 sq mm (copper), Cable FR-LSH 3 core 6 sq mm (copper), Aluminium cable 4 core 10 sq mm armoured, Copper Ring Type Thimble 16 Sq mm, Copper Ring Type Thimble 35 Sq mm, Aluminium Thimble Ring Type 6 x 10 Sq mm, Aluminium Thimble Ring Type 6 x 16 Sq mm, Aluminium Thimble Straight Type 10 Sq mm, Aluminium Thimble Straight Type 16 Sq mm, Aluminium Thimble Ring Type 25 Sq mm, Aluminium Thimble Ring Type 35 Sq mm, Aluminium Thimble Ring Type 50 Sq mm, Aluminium Thimble Ring Type 95 Sq mm, Aluminium Thimble Ring Type 120 Sq mm, Aluminium Thimble Ring Type 150 Sq mm, Aluminium Thimble Ring Type 185 Sq mm, Aluminium Thimble Ring Type 240 Sq mm, Aluminium Thimble Ring Type 300 Sq mm, Aluminium Thimble Ring Type 400 Sq mm, Fan Bearing 6201, Fan Bearing 6202, Bearing Puller, Red Gel Grease, Ht Tape, Silca Gel Transformer, Steel wire, Panel lock Power coated pin type, Panel lock Push pin type, Aluminium Thimble pin Type 4mm Sq mm, Aluminium Thimble pin Type 6 Sq mm, Aluminium Thimble pin Type 10 Sq mm, Aluminium Thimble pin Type 16 Sq mm, Aluminium Thimble U Type 2.5 Sq mm, Aluminium Thimble U Type 4 Sq mm, Aluminium Thimble U Type 6 Sq mm, Aluminium Thimble U Type 10 Sq mm, Copper Thimble Ring Type 6 x 2.5 Sq mm, MCB SINGLE POLE 6 AMP TRIPING RANGE -C, MCB SINGLE POLE 16 AMP TRIPING RANGE -C, Extension Borad, Plug Top 6 amp, Plug Top 16 amp, Fan Clamp, Geyser Element 2000W, Themostate, Ovicart 30A 3Way Bakelite Connector black, Charcoal, Salt, Coolant DG, L -Key Scerw 8 mm x 2 inch, L -Key Scerw 5 mm x 2 inch, Street Light Pole Mcb Box Closed Plate, Digital timer Switch cat no 67DDT0 -110 V -240 V AC, Battery Water, Sleev 4 mm, Driver Led 40 watt 0.7 amp Philips Xitanium 45-58 v Dc, Mcpcb - 16 Led -Seoul -3535 -4000 cct (size 102.5 x102.5mm), Battery terminals, Gi Nut Bolt with washer 8 x 40 mm, Gi Nut Bolt with washer 10 x 50 mm, Gi Nut Bolt with washer 6 x 35 mm, GI Strip 25 x 5 mm, Bakelite Connector Plate 63 amp 4 Bolt Type 3PH, Wire 1.5 sqmm single core copper FR-LSH, Wire 2.5 sqmm single core copper FR-LSH, Wire 4 sqmm single core copper FR-LSH, Wire 6 sqmm single core copper FR-LSH, Mecro 27 Auto Digital Clamp Meter 600 amp, 66 KV Line Gloves, 11 kv Line Gloves, 66 Line Discharge Rod, Tool Bag, Nose Plier, Plier, Screw Driver 2 in one with Sleev 12 inch, Screw Driver 2 in one with Sleev 6inch, L-Key Set, Hack saw Blade double side, Grees Gun, Totta Wranch, Slide Wranch 12 mm, Slide Wranch 8mm, oil kuppi, Pipe Wranch Small Side, Ring Snanner Set, Screw Driver Kit, Hammer 250 gm, Thimble Crimping Tool upto 10sqmm
	Searched String: 6 Module Pvc box PVC Item (Gujarat Govt), Electrical Box Extension (V2),

Bid Details/As per	Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, modular electrical enclosure switch board boxes for modular type accessories, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Lunch Box (V2), modular electrical switches and accessories, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, Suction Catheters (V2)
	Searched String: 8 Module Pvc box PVC Item (Gujarat Govt), Suction Catheters (V2), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, modular electrical enclosure switch board boxes for modular type accessories, Interface module, Hardware Security Module (HSM), PVC molded stool, PVC (Polyvinyl Chloride) Sheet, Polyvinyl Chloride (PVC) Industrial Boots (V2) as per IS 12254, File/Folder (V3) Searched String: 12 Module Pvc box PVC Item (Gujarat Govt), shoes school pvc boys girls, Polyvinyl Chloride (PVC) Industrial Boots (V2) as per IS 12254, modular electrical enclosure switch board boxes for modular type accessories, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Suction Catheters (V2), Brass Glands for PVC cables of Voltage Grade up to and including 3.3 kV as per IS:12943, Cap FS Disruptive (JSS), Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, Connection Pipe with Nuts (V2) Searched String: 6 Module sheet 6-Benzylaminopurine, Steel Bookcases as per IS 7761, Relay Module, modular electrical enclosure switch board boxes for modular type accessories, Interface module, Electrical Box Extension (V2), 6 - Mercaptopurine Tablet, Junction Box for Lighting, Cat 6 Patch cord, water baths Searched String: 8 Module sheet HDMI 8 x 8 Switcher, Desktop Computers, 8-Hydroxyquinoline, Hardware Security Module (HSM), Relay Module, All in One PC, Interface module, Surgical Gloves as per IS 4148, Transmission Oil TSZP-8, water baths Searched String: 12 Module sheet Relay Module, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Interface module, modular electrical enclosure switch board boxes for modular type accessories, Carbendazim 12 % + Mancozeb 63 % WP, Spherical Roller Bearing as per IS 6455, Polypropylene Sheet, D and C Set, Sparkle sheet, Vacuum Oven Searched String: switch 10 Amp Chlorpyrifos 10% GR, Desktop Computers, Imazethapyr 10% SL, Cap FS Disruptive (JSS), Isolator switch, water baths, Limit Switch, modular electrical switches and accessories, Reed Switch, Online UPS (V2) Searched String: switch 20 Amp

Bid Details/As per	Diethyl Phenyl Acetamide 20 % (Depa 20 %) (Defence), Cleaning Duster (V2), CK 20 Antibody, modular electrical switches and accessories, Acetamiprid 20% SP, Cleaning Duster (V3), Metsulfuron Methyl 20% WP, Online UPS (V2), Isolator switch, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection
	Searched String: Socket 10 Amp Impact socket, Desktop Computers, Deep Socket, Cap FS Disruptive (JSS), Insulated socket, water baths, IC SOCKET, modular electrical switches and accessories, Chlorpyrifos 10% GR, Online UPS (V2) Searched String: Socket 20 Amp Diethyl Phenyl Acetamide 20 % (Depa 20 %) (Defence), Cleaning Duster (V2), CK 20 Antibody, modular electrical switches and accessories, Acetamiprid 20% SP, Cleaning Duster (V3), Impact socket, Online UPS (V2), Deep Socket, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection Searched String: Two way switch 20 Amp Two Way Valve, modular electrical switches and accessories, urethral urinary catheters or foley catheter, PA Speaker, Switch Mode Power Supply (SMPS) as per IS 14886:, Modular Piano Type Domestic Electrical Switches as per IS 3854, Electrical Box Extension (V3), Counter Communication System, Data Logger Unit Storage, Switching Power Supply for Wireless Application Searched String: 2 Module switch 25 Amp Bromoform, Classroom Chairs, Sleeping Bag MK 4 (JSS), Single switch IGBT Module, MTT (3-(4,5-Dimethylthiazol-2-yl)-2,5-Diphenyltetrazolium Bromide), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Polyethylene Films and Sheets (Version 2) as per IS 2508 (Latest), Geological compass, Caustic Soda for Bulk Supply as per IS 252, modular electrical switches and accessories Searched String: 2 Module Fan Regulator Oxygen Gas Regulators (Version 2), modular electrical switches and accessories, Piano Type Modular Domestic Fan Regulator as per IS 11037, Electric Pedestal Type Fan and Regulator as per IS 1169, Piano Type Non Modular Domestic Fan Regulator as per IS 11037, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Voltage regulator for domestic fans, modular electrical enclosure switch board boxes for modular type accessories, Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, Industrial Cooling Fan (Man Coolers) as per IS 6272 Searched String: 2 Module Fan Regulator Oxygen Gas Regulators (Version 2), modular electrical switches and accessories, Piano Type Modular Domestic Fan Regulator as per IS 11037, Electric Pedestal Type Fan and Regulator as per IS 1169, Piano Type Non Modular Domestic Fan Regulator as per IS 11037, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Voltage regulator for domestic fans, modular electrical enclosure switch board boxes for modular type accessories, Small Sized Valve

Bid Details/As per	Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, Industrial Cooling Fan (Man Coolers) as per IS 6272
	Searched String: Surface Mounted Ceiling light 15 watt LED Surface Ceiling Light as per IS 10322, Hand Held Search Light, Self Ballasted LED Lamps for General Lighting Service as per IS 16102, Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, Led Flood Light, Split Air Conditioner (Ceiling Mount Type), as per IS: 1391 (part 2) Searched String: Ceiling Round light 12 w Ceiling OT Light, LED Luminaire (for Flood Light) as per IS 10322, IS 16107, Ceiling OT Light (V2), LED Surface Ceiling Light as per IS 10322, Chandeliers-Handicraft, Chandeliers-Handicraft, High Mast Lighting Tower for large area with LED Flood Lighting System, White LED (W - LED) Based Solar Home Lighting Systems (V2), LED Luminaire (Recessed Luminaire) (V2), Rubber Mallet -as per IS 12522 Searched String: Fan Capacitor 2.5 MFD 5-5 Dithiobis -2-2 Nitrobenzoic Acid, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), 5-Sulfosalicylic acid, Fixed Capacitors (Fixed Capacitor for Single Phase AC Electric Fan) as per IS 1709:1984, Server, LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), modular electrical switches and accessories, Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124 Searched String: Pvc Batten 32 mm LED Batten, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Cap FS Disruptive (JSS), Speed Breaker (V2), Waste Pipe, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Connection Pipe with Nuts (V2), Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1) Searched String: Pvc Batten 25 mm Classroom Chairs, Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), LED Batten, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Sofa Set (Steel Tube), Speed Breaker (V2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Waste Pipe Searched String: Pvc Pipe 25 mm

Bid Details/As per	Pipe for Gardening Purpose, Classroom Chairs, Pipe Cutter, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Pipe Vice as per IS 2587, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Solvent Cement, Wild - Life Cages, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592
	Searched String: Pvc Bend 25 mm Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Classroom Chairs, Commercial CPVC Pipe Fittings, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Sofa Set (Steel Tube), Speed Breaker (V2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Waste Pipe Searched String: J.B 25 mm Gypsum Building Plaster - Premixed Lightweight Plasters as per IS 2547, Classroom Chairs, Dough Kneader (V1), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Saw Blades or Hacksaw Blades as per IS 2594, Sofa Set (Steel Tube), Parallel Bar - Outdoor Gym Equipment, Executive Computer Table, Cast Iron Bench, Modular Extendable Conference Table Searched String: Pvc Gitti 6 mm PVC gitti, patient care mattresses, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Classroom Chairs, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Sofa Set (Steel Tube), Speed Breaker (V2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Waste Pipe Searched String: Batten Gitti PVC gitti, LED Batten, LED Batten with Battery / Invertor, Solar lamps (Solar Home Lighting System with Batten type Luminary) Searched String: Pvc Saddle 25 mm Classroom Chairs, Pipe Clamps (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Sofa Set (Steel Tube), Speed Breaker (V2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Waste Pipe Searched String: Isulation tape

Bid Details/As per	Tape Drive, Elastic Surgical Adhesive Tapes (V2), Tape Library, Measuring Tape, Pressure Sensitive Adhesive
	Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), Aluminum Tape, Empire Tape, Automotive Vehicles - Retro - Reflective Sheets and Tapes (Traffic Safety) as per IS 14221, Foam Tape, Transparent Tape (V2) Searched String: Flood light 50 watt Led Flood Light, LED Luminaire (for Flood Light) as per IS 10322, IS 16107, LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Flood Light Luminaire suitable for HPSV Lamps, Hand Held Search Light, LED Luminaire for Flood Light, Flame Proof, Cap FS Disruptive (JSS), LED Luminaire for Flood Light, Flame Proof (V2), Hot air oven Searched String: Flood light 150 watt Led Flood Light, LED Luminaire (for Flood Light) as per IS 10322, IS 16107, LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), Flood Light Luminaire suitable for HPSV Lamps, Hot air oven, LED Luminaire for Flood Light, Flame Proof, LED Luminaire for Flood Light, Flame Proof (V2), Hand Held Search Light, Flood Light Luminaire Suitable for HPSV Lamps (V2) as per IS 10322 (Part 5 / Sec 5), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3) Searched String: Flexiable Pipe 25 mm Pipe Vice as per IS 2587, Classroom Chairs, Wild - Life Cages, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Polyethylene Pipes for Water Supply, Commercial CPVC Pipe Fittings, Sofa Set (Steel Tube), Waste Pipe, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Connection Pipe with Nuts (V2) Searched String: Cable FR-LSH 2 core 0.75 sq mm (copper) PVC Copper Cable (Heavy Duty) - Type A PVC Compound, Category C 2 - FR - LSH as per IS 1554 (Part 1), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Cap FS Disruptive (JSS), PVC Copper Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, Switch Mode Power Supply (SMPS) as per IS 14886:, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), Xlpe Cables, Category C2 - FR - LSH, for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2) Searched String: Cable FR-LGH 3 core 1.5 sq mm (copper) XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor

Bid Details/As per	(V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Cap FS Disruptive (JSS), PVC Copper Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)
	Searched String: Cable FR-LSH 3 core 2.5 sq mm (copper) PVC Copper Cable (Heavy Duty) - Type A PVC Compound, Category C 2 - FR - LSH as per IS 1554 (Part 1), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Cap FS Disruptive (JSS), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Switch Mode Power Supply (SMPS) as per IS 14886:, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1) Searched String: Cable FR-LSH 3 core 4 sq mm (copper) PVC Copper Cable (Heavy Duty) - Type A PVC Compound, Category C 2 - FR - LSH as per IS 1554 (Part 1), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Cap FS Disruptive (JSS), XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), PVC Copper Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694 Searched String: Cable FR-LSH 3 core 6 sq mm (copper) PVC Copper Cable (Heavy Duty) - Type A PVC Compound, Category C 2 - FR - LSH as per IS 1554 (Part 1), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Cap FS Disruptive (JSS), XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Insulated Unsheathed Cable with Flexible

Bid Details/As per	Conductor as per IS 694, Cat - 6 UTP Ethernet Cable for Wifi Indoor Use (MTNL), PVC Copper Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694
	Searched String: Aluminium cable 4 core 10 sq mm armoured XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, PVC Aluminium Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, Telecommunication Cable - Fully filled (Petroleum Jelly or Absorbent Thixotropic Gel) Searched String: Copper Ring Type Thimble 16 Sq mm PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Electrical connection Lugs or thimbles, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), Non Sparking Ring Slugging Spanners (V2), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1) Searched String: Copper Ring Type Thimble 35 Sq mm Copper Tube 35 mm-OFB, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Electrical connection Lugs or thimbles, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), Non Sparking Ring Slugging Spanners (V2) Searched String: Aluminium Thimble Ring Type 6 x 10 Sq mm PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), Electrical connection Lugs or thimbles, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part

Bid Details/As per	1). PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Non Sparking Ring Slugging Spanners (V2), Non Sparking Double Open Ended Spanner (V2), Non Sparking Double Ended Ring Spanner (V2), Prefab Shelters With PUF Panel of Size 7.620 M X 10.661 (As Per GeM Drawing)
	Searched String: Aluminium Thimble Ring Type 6 x 16 Sq mm Classroom Chairs, Electrical connection Lugs or thimbles, Sofa Set (Steel Tube), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Saw Blades or Hacksaw Blades as per IS 2594 Searched String: Aluminium Thimble Straight Type 10 Sq mm Mild Steel Sheet, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Electrical connection Lugs or thimbles, Globe Valve as per IS 778, PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1) Searched String: Aluminium Thimble Straight Type 16 Sq mm Wrought Aluminium Utensils (V2) as per IS 1660, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), Electrical connection Lugs or thimbles, Globe Valve as per IS 778, PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398 Searched String: Aluminium Thimble Ring Type 25 Sq mm XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Electrical connection Lugs or

Bid Details/As per	thimbles, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), Ring Binder - File Folder, Drilling Machine Bench Type / Pillar Type as per IS 2425, Saw Blades or Hacksaw Blades as per IS 2594
	Searched String: Aluminium Thimble Ring Type 35 Sq mm XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Electrical connection Lugs or thimbles, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, Non Sparking Ring Slugging Spanners (V2) Searched String: Aluminium Thimble Ring Type 50 Sq mm modular electrical enclosure switch board boxes for modular type accessories, Electrical connection Lugs or thimbles, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), Tower Ladder (V2), Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694 Searched String: Aluminium Thimble Ring Type 95 Sq mm XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Electrical connection Lugs or thimbles, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), Non Sparking Ring Slugging Spanners (V2), Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694 Searched String: Aluminium Thimble Ring Type 120 Sq mm

Bid Details/As per	XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Electrical connection Lugs or
	thimbles, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694 Searched String: Aluminium Thimble Ring Type 150 Sq mm
	PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Electrical connection Lugs or thimbles, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694 Searched String: Aluminium Thimble Ring Type 185 Sq mm
	XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), Electrical connection Lugs or thimbles, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694 Searched String: Aluminium Thimble Ring Type 240 Sq mm
	PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), Electrical connection Lugs or thimbles, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as

Bid Details/As per	per IS 7098 (Part 2), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Searched String: Aluminium Thimble Ring Type 300 Sq mm
	XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), Electrical connection Lugs or thimbles, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Propeller Type AC Ventilating Fans - Exhaust Fans (V2) as per IS 2312, PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), Welder Gloves or Gauntlets as per IS 2573, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398 Searched String: Aluminium Thimble Ring Type 400 Sq mm
	PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), Electrical connection Lugs or thimbles, Welder Gloves or Gauntlets as per IS 2573, PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), Electric Pedestal Type Fan and Regulator as per IS 1169, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398 Searched String: Fan Bearing 6201
	Fan Bearing, Ball Bearings as per IS 6455, Crossfit Fan, Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455, BEARING ISOLATOR, Cloth Dryer Stand, Bearing (BHEL), Spherical Roller Bearing as per IS 6455, Bearing house, Cylindrical Roller Bearing as per IS 6455 Searched String: Fan Bearing 6202
	Fan Bearing, Ball Bearings as per IS 6455, Crossfit Fan, Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455, BEARING ISOLATOR, Cloth Dryer Stand, Bearing (BHEL), Bearing house, Spherical Roller Bearing as per IS 6455, Bush Bearing Searched String: Bearing Puller Bearing Puller as per IS 9193, Ball Bearings as per IS 6455, Gear Puller, Hydraulic Puller, Cloth Dryer Stand, Universal Puller Set, Spherical Roller Bearing as per IS 6455, BEARING

Bid Details/Is Part of	ISOLATOR, Cylindrical Roller Bearing as per IS 6455, Bearing (BHEL)
	Searched String: Red Gel Grease Etchant gel, Air Freshener Solid and Gel, Ultrasound Gel, Ink Refills (V2), Methyl Red, personal safety kit reflective luminous garments, Aviation Grease, Gel Pen (V2), Lubricating Grease, Blood Sample Collection Tubes Searched String: Ht Tape HT Tape, Elastic Surgical Adhesive Tapes (V2), HT Motor Protection Fuse (BHEL), Tape Drive, Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), Tape Library, Measuring Tape, Automotive Vehicles - Retro - Reflective Sheets and Tapes (Traffic Safety) as per IS 14221, Aluminum Tape, Transparent Tape (V2) Searched String: Silca Gel Transformer Etchant gel, Air Freshener Solid and Gel, Ultrasound Gel, Silica Gel Breather, Body Cleansing Gel, Blood Sample Collection Tubes, Gel Pen (V2), Gel Documentation System, Telecommunication Cable - Fully filled (Petroleum Jelly or Absorbent Thixotropic Gel), Gel Card Centrifuge Searched String: Steel wire Steel Wire Rope (CMPDI), Almirah Steel (V2), Steel Wire Rope Sling (BHEL), Stainless Steel Wire Medical Purpose as per IS 6528, Steel Tables as per IS 8126, Steel Wire Ropes for General Engineering Purpose as per IS 2266:2019, Mild Steel Wire for General Engineering Purpose as per IS 280, Steel Bookcases as per IS 7761, GTAW wire ER 347 - BHEL, Weld Mesh Febric as per IS 4948 Searched String: Panel lock Power coated pin type Power Control Center Panel (PCC Panel) as per IS 11717, Porcelain Insulators for Overhead Power Lines with a Nominal Voltage up to and Including 1000 V as per IS 1445 Searched String: Panel lock Push pin type Grease Gun as per IS 7794, Wooden Podium, Prevailing Torque Type Hexagon Nuts (With Non-Metallic Insert), Style 1 - IS 7002, Round Head Fasteners - Drawing Board Pin as per IS 5205, Wooden Flush Door Shutters (Cellular and Hollow Core Type) Particle Board and Hardboard Face Panels, Lawn Mowers, Mobile Storage Compactors, Flushing Cistern, Pin Up Notice Board (V2), Movable File Storage System (Compactor) Searched String: Aluminium Thimble pin Type 4mm Sq mm XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Fabric Pin Up Notice Boards, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, modular electrical enclosure switch board boxes for modular type accessories, PVC Copper Cable Single Core and Multi Core Circular

Bid Details as per	Sheathed Cord with Flexible Conductor (V2) as per IS 694, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Drilling Machine Bench Type / Pillar Type as per IS 2425, Pins or Tacks as per IS 5653 Searched String: Aluminium Thimble pin Type 6 Sq mm PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), Pin Up Notice Board (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), Electrical connection Lugs or thimbles, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694 Searched String: Aluminium Thimble pin Type 10 Sq mm Mild Steel Sheet, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Pin Up Notice Board (V2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Electrical connection Lugs or thimbles, Stapler Pin / Staples (V2) Searched String: Aluminium Thimble pin Type 16 Sq mm Wrought Aluminium Utensils (V2) as per IS 1660, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Electrical connection Lugs or thimbles, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), Pin Up Notice Board (V2), PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398 Searched String: Aluminium Thimble U Type 2.5 Sq mm PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), PVC
--------------------	---

Bid Details/As per	Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Electrical connection Lugs or thimbles, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694
	Searched String: Aluminium Thimble U Type 4 Sq mm XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Electrical connection Lugs or thimbles, PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), PVC Aluminium Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694 Searched String: Aluminium Thimble U Type 6 Sq mm PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Electrical connection Lugs or thimbles, PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398 Searched String: Aluminium Thimble U Type 10 Sq mm Mild Steel Sheet, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Electrical connection Lugs or thimbles, PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1) Searched String: Copper Thimble Ring Type 6 x 2.5 Sq mm

Bid Details/As per	PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Switch Mode Power Supply (SMPS) as per IS 14886:, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Regulators for Breathing Apparatus (Diving Instruments or Accessories), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), Electrical connection Lugs or thimbles, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Non Sparking Ring Slugging Spanners (V2), PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, Non Sparking Double Ended Ring Spanner (V2)
	Searched String: MCB SINGLE POLE 6 AMP TRIPING RANGE -C Cap FS Disruptive (JSS), D and C Set Searched String: MCB SINGLE POLE 16 AMP TRIPING RANGE -C Cap FS Disruptive (JSS) Searched String: Extension Borad Extension Bar, Electrical Box Extension (V2), Electrical Box Extension (V3), modular electrical switches and accessories, Back Extension (Version 2), Multi Hyper Extension Machine, PABX System - EPABX (V2), Pressure Extension Tubes for Medical Purposes, Pressure Extension Tubes for Medical Purpose, Auxiliary Cable for Network Extension Searched String: Plug Top 6 amp CAT 6 Field Termination Plug, Connector Mounting Hardware - Multi Plug, modular electrical switches and accessories, Refraction Tomography Software, Recirculating chiller, Cap FS Disruptive (JSS), Electrical Box Extension (V3), Junction Box for Lighting, Non electric Potable water purification system gravity or inline based, Shooting gloves Searched String: Plug Top 16 amp Wrought Aluminium Utensils (V2) as per IS 1660, modular electrical switches and accessories, Connector Mounting Hardware - Multi Plug, Refraction Tomography Software, Recirculating chiller, Electrical Box Extension (V3), Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1 Searched String: Fan Clamp Burette Clamp, true rms clamp meter, SCAFFOLDING CLAMP, modular electrical switches and accessories, Fan Bearing, Table Fan / Wall Mount Fan / Ceiling Mount Fan as per IS 555, Crossfit Fan, Electric Ceiling Fan with BLDC Motor as per IS 374 (V2), Pipe Clamps (V2), Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374 Searched String: Geyser Element 2000W Ceramic Heating Element, LED Luminaire (for Flood Light) as per IS 10322, IS 16107, Element Filter Compressor, Fuller Earth Element, Hot air oven, Flexible Heating Element, Electric Water Heater - Geyser (V2) as per IS 2082:2018 (Latest), Heating Element (BHEL), Spherical Roller Bearing

Bid Details/ as per IS 14001	as per IS 6455, ELEMENT SPIN ON OIL
	Searched String: Themostate Category not available on GeM for the text string uploaded by the buyer Searched String: Ovicart 30A 3Way Bakelite Connector black Connector Mounting Hardware - Multi Plug, Multifunction Machine MFM (V2) Searched String: Charcoal Charcoal, Activated Charcoal Tablets, Activated Charcoal Powder, Barbecues / Tandoor, Modified Charcoal Cefoperazone Deoxycholate Agar (MCCD), Regulators for Breathing Apparatus (Diving Instruments or Accessories), Dhobi Tool Kit Searched String: Salt Black Salt, Iodized Salt, Electronic Milk Analyser with adulteration testing equipment, EDTA disodium salt, Common Salt for Chemical Industries as per IS 797 (Revision I), ORAL REHYDRATION SALT, Iron Fortified Iodized Salt Or Double Fortified Salt as per IS: 16232, Iodized Salt (Defence), Sodium Oxalate Salt, Salt Spray Chamber Searched String: Coolant DG Coolant Hose, Power Generator - DG Set (up to 900 KVA), Antifreeze Coolant as per IS 5759, DAFC-60% (Glycol Based Antifreeze Coolant) -Defence, Glycol Based Antifreeze Coolant (DAFC 30 & DAFC 50) - Defence (V2), DAFC - 30 (Glycol Based Antifreeze Coolant) for (Defence), DAFC - 50 (Glycol Based Antifreeze Coolant) for (Defence), Radiator Hose as per IS 2765, Power Generators (Upto 900 kVA), uniform jersey woolen ribbed v neck dgsd specification Searched String: L -Key Scerw 8 mm x 2 inch Sofa Set (Steel Tube), Lapi Patra (Putty Applicator), Toxic Gas Detector, CPVC Industrial Pipe Fittings, Schedule 80, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, SEWAGE TREATMENT PLANT, Compostable Carry Bags, Computer Paper (V3) Conforming to IS 12766 Searched String: L -Key Scerw 5 mm x 2 inch Theft Proof Rifle Racks, Alcohol Based Hand Rub / Hand Sanitizer, PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), Lapi Patra (Putty Applicator), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Compostable Carry Bags, Elastic Surgical Adhesive Tapes, Classroom Chairs, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Scantling teak wood Searched String: Street Light Pole Mcb Box Closed Plate Lighting Pole or Post and Hardware - Tubular Street Light Poles (V2), SOVP Device for Street light Pole Mounted,

Bid Details/As per	Lighting Box (Flasher For Police Vehicles), High Mast Lighting Octagonal Tower with Solar Based LED Street Light
	Searched String: Digital timer Switch cat no 67DDT0 -110 V -240 V AC AC Voltage Transducer (V2) Searched String: Battery Water Battery Cover, water baths, battery chargers, Scrubber Dryer Floor Cleaning Machine (V2), Battery Tester, Online UPS (V2), Battery Terminal Coating, Battery Link Terminal, RO Water Treatment System Above 50 LPH Filtration Capacity, Inverter Battery Trolley Searched String: Sleev 4 mm MM Personality inventory, Executive Computer Table, 4-Aminoantipyrine, Wild - Life Cages, Stromatolyser - 4 DL, Steel Bookcases as per IS 7761, 81 MM Mortar Simulator (MHA), Wall Mounting Cabinet, Copper Tube 35 mm-OFB, Metal Shelving Racks as per IS 1883 Searched String: Driver Led 40 watt 0.7 amp Philips Xitanium 45-58 v Dc Category not available on GeM for the text string uploaded by the buyer Searched String: Mcpcb - 16 Led -Seoul -3535 -4000 cct (size 102.5 x102.5mm) Category not available on GeM for the text string uploaded by the buyer Searched String: Battery terminals RF Terminals, Online UPS (V2), Banana Sockets and Terminals, Electrical Terminals as per IS 8309, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Battery Cover, battery chargers, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Battery Tester, Battery Terminal Coating Searched String: Gi Nut Bolt with washer 8 x 40 mm Parallel Bar - Outdoor Gym Equipment, Work Benches, Hexagon Head Bolts as per IS 1363, Prefab Shelters with PUF Panel of Size 7.620 M X 18.491 M (as per GeM Drawing), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014 Searched String: Gi Nut Bolt with washer 10 x 50 mm Parallel Bar - Outdoor Gym Equipment, Digital Pull - off Adhesion Tester (V2), Hexagon Head Bolts as per IS 1363, Work Benches, Connection Pipe with Nuts (V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Picket Steel as per DGS&D Drawing, Metallurgical Microscope, Prefab Shelters With PUF Panel of Size 7.620 M X 10.661 (As Per GeM Drawing) Searched String: Gi Nut Bolt with washer 6 x 35 mm Parallel Bar - Outdoor Gym Equipment, Hexagon Head Bolts

Bid Details/As Part of	as per IS 1363, Picket Steel as per DGS&D Drawing, Non Sparking Ring Slugging Spanners (V2), Work Benches, Non Sparking Double Open Ended Spanner (V2), Non Sparking Double Ended Ring Spanner (V2)
	Searched String: GI Strip 25 x 5 mm Classroom Chairs, Parallel Bar - Outdoor Gym Equipment, Sofa Set (Steel Tube), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cast Iron Bench, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, rubber bands, Multimedia Projector (MMP), Elastic Surgical Adhesive Tapes (V2) Searched String: Bakelite Connector Plate 63 amp 4 Bolt Type 3PH Plain Washer as per IS 2016 Searched String: Wire 1.5 sqmm single core copper FR-LSH PVC Copper Cable (Heavy Duty) - Type A PVC Compound, Category C 2 - FR - LSH as per IS 1554 (Part 1), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Cap FS Disruptive (JSS), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Copper Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category 01 as per IS 1554 (Part 1), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cord with Flexible Conductor as per IS 694 Searched String: Wire 2.5 sqmm single core copper FR-LSH PVC Copper Cable (Heavy Duty) - Type A PVC Compound, Category C 2 - FR - LSH as per IS 1554 (Part 1), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Cap FS Disruptive (JSS), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category 01 as per IS 1554 (Part 1), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Copper Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cord with Flexible Conductor as per IS 694 Searched String: Wire 4 sqmm single core copper FR-LSH

Bid Details/As per	PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Cap FS Disruptive (JSS), PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category 01 as per IS 1554 (Part 1), PVC Copper Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cord with Flexible Conductor as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694
	Searched String: Wire 6 sqmm single core copper FR-LSH PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Cap FS Disruptive (JSS), PVC Copper Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category 01 as per IS 1554 (Part 1), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Xlpe Cables, Category C2 - FR - LSH, for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1) Searched String: Meco 27 Auto Digital Clamp Meter 600 amp true rms clamp meter, Digital Earth Resistance Meter, LCR Meter Searched String: 66 KV Line Gloves Tower Accessories For 66 kV Transmission Lines (PSPCL), thermal gloves, 66 kV Potential Transformer for Sub-stations / Power Houses (PSPCL), Manual Operated 66 kV, 800 A Isolators and with Solid Core Insulators (PSPCL), 66 kV Current Transformer for Sub-stations / Power Houses (PSPCL)), Earthwire Fitting and Accessories for 66 kV Overhead Power Lines (PSPCL), Voltage Transformer - Dual purpose - Indoor, Metal Oxide Lightning Arresters Without Gaps as per IS 3070 (Part 3), Polyester/Nylon Liner Knitted Gloves, Diaries Printed - Plain - Register Searched String: 11 kv Line Gloves Capacitor Banks For Use On 11 KV System (PSPCL)), Distribution Transformer, 3 Phase, 11 kV > 200 KVA up to and Including 2500 KVA, thermal gloves, Diaries Printed - Plain - Register, 11 or 33 kV Outdoor Live Tank Current Transformer (BHEL), Polyester/Nylon Liner Knitted Gloves, General Purpose Hand Gloves (V2), Tower Accessories For 66 kV Transmission Lines (PSPCL), PVC Insulated (Heavy Duty) Electric Cables, Category C1 - FR as per IS 1554 (Part 2), PVC Insulated (Heavy Duty) Electric Cables, Category:01

Bid Details/As per	as per IS:1554 (Part 2)
	Searched String: 66 Line Discharge Rod Drill Rods (CMPDI), Brass rod as per IS: 319, Tower Accessories For 66 kV Transmission Lines (PSPCL), Earthwire Fitting and Accessories for 66 kV Overhead Power Lines (PSPCL) Searched String: Tool Bag Tool bag, Bio - Medical Waste Collection Bags (Biohazard Bags), Bag For Farrier Tool, Mechanic machine tool maintenance trainee tool kit (Skill India Program), Bag Closer Machine (Bag sealing tools or equipment), Hiking Bag, Vomit Bag, hospital biohazard bags or bio medical waste collection bags, Bag filter, Laundry Bag Searched String: Nose Plier Orthopedic Instruments - Nose Pliers, surgical isolation or surgical masks, Pliers, Pincers and Nippers as per IS 2615, IS 11526, Insulated water pump plier, Groove Joint Pliers, Surgical isolation Faceshield, Orthodontic Pliers, Shovel Belcha as per IS 274 (Part 1, Part 2 and Part 3), Nose Rings & Pins-Handicraft, Filtering Half Mask-Air Pollution Mask-IS 9473 Searched String: Plier Insulated water pump plier, Pliers, Pincers and Nippers as per IS 2615, IS 11526, Groove Joint Pliers, synthetic web equipment improved version, Orthodontic Pliers, Multiple Slip Joint Pliers - IS 6118, Non Sparking Diagonal Cutting Plier as per IS 4595, Insulated pliers, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Stud Remover & Installer with Screwdriver tool Set(ONGC) Searched String: Screw Driver 2 in one with Sleeve 12 inch Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, All in One PC, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Screw Drivers as per IS 844, Environmental Chamber, Steel Bookcases as per IS 7761, Hand, and Short Machine Screwing Taps for ISO Metric Screw Threads - IS 6175, LCP 3.5mm Small T-Plate Right Angled with corresponding screws, High Mast Lighting Octagonal Tower with Integrated All in One Solar LED Street Light Searched String: Screw Driver 2 in one with Sleeve 6inch All in One PC, Screw Drivers as per IS 844, Steel Bookcases as per IS 7761, Hand, and Short Machine Screwing Taps for ISO Metric Screw Threads - IS 6175, LCP 3.5mm Small T-Plate Right Angled with corresponding screws, High Mast Lighting Octagonal Tower with Integrated All in One Solar LED Street Light Searched String: L-Key Set Folding Hex Key Set, Steel Bookcases as per IS 7761, Key Chain, Allen Key, Ultra low temperature laboratory deep freezer, Key Board Trays, Tracksuit, Fido2 Security Key, Power Generator - DG Set (up to 900 KVA), Lock Stopper key

Bid Details/اسعار	Searched String: Hack saw Blade double side
	Saw Blades or Hacksaw Blades as per IS 2594, Modular Work Stations (V2), Band saw blade, Saw Blades or Hacksaw Blades (V2) as per IS 2594, JigSaw Blade, Hand Held Brush Cutter (V2), Double side Steel Bookcase, Carbide Chain Saw, Sternal Saw Knife or Blade, Platform step ladder Searched String: Grees Gun Tranquilizer Gun, Hot air gun, Glue gun, Airless spray gun, Grease Gun as per IS 7794, Paint spray gun, Speed Radar Gun, AI Guns, Pneumatic Sealant gun, Dental Curing light gun Searched String: Totta Wrench Category not available on GeM for the text string uploaded by the buyer Searched String: Slide Wrench 12 mm Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Classroom Chairs, Microscopic Slides as per IS 3099, Microscopes Slide Coverslips as per IS 3099, Connection Pipe with Nuts (V2), Foot Rest, traffic signs - bilinker light, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Ultrasonic Thickness Gauge, Transparent Tape (V2) Searched String: Slide Wrench 8mm Spreader Slide, Executive Computer Table, Slide storage box, Automated slide stainer, Desktop Computers, ALUMINIUM SLIDE TRAY, Microscopic Slides as per IS 3099, Outdoor Slide (V2), Metal Shelving Racks as per IS 1883, Slide Ladder (Preschool Kit) Searched String: oil kuppi Almond oil, 15w - 40 Diesel Engine Oil, Paraffin Oil, Transformer Oil BDV Test Kit, Oil cooler, Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656, Oil Deflector, Insulating Oil For Transformer As Per POWERGRID TS, Silicone Oil, Gear Lubricants For Enclosed Industrial Gear Drives conforming to IS 8406 Searched String: Pipe Wrench Small Side Commercial CPVC Pipe Fittings, Pipe Vice as per IS 2587, Curtain Pipe, Sider and mounting bracket, Cap FS Disruptive (JSS), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947 Searched String: Ring Snanner Set Piston Ring Set-IS:6621, IS:8422, Power Generator - DG Set (up to 900 KVA), Backing Ring, Wiro Ring, Television (TV) (V2), Tennikoit Ring, Sofa Set (Steel Tube), Basketball Ring, Steel Bookcases as per IS 7761, Toothed Ring Hammer Searched String: Screw Driver Kit Screw driver Bits, personal safety kit reflective luminous garments, Cordless screw driver, Driving Cum Mechanics

	Bid Details/बिड विवरण Tool Kit, Bit Driver Set with Screw driver Bits, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water
	Services as per IS 781, Non-Sparking Screw Driver-IS:4595, Biochemistry Reagent Kits, Miniature Screwdriver Set, centrifuge tubes Searched String: Hammer 250 gm GM Counter, Speed Breaker (V2), Concrete Test Hammer (Rebound Hammer), Refraction Tomography Software, Hammer Unions, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Knee Hammer, Electronic Weighing Systems as per IS 9281 (Part I, Part II, Part III, Part IV), Reflex hammer, Waste Containers and Accessories - Domestic (V2) Searched String: Thimble Crimping Tool upto 10sqmm Battery powered crimping tool, Crimping Tools, Regulators for Breathing Apparatus (Diving Instruments or Accessories), Electrician tool kit, DISCRETE SEMICONDUCTOR DEVICES (ACTIVE COMPONENT - TRANSISTOR), synthetic web equipment improved version, crepe bandage, GALVANIZED MILD STEEL FIRE BUCKET (Fire suppression hand tools) as per IS 2546, Cutting Tools, elastic zinc oxide adhesive bandage
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• modular electrical enclosure switch board boxes for modular type accessories • HT Tape • Bearing Puller as per IS 9193
BOQ Title/बीओक्यू शीर्षक	SUPPLY OF ELECTRIAL ITEMS
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Surface Mounted Ceiling light 15 watt

Bid Details/बिड विवरण

Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	15855

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

The Registrar, IIT Ropar
Indian Institute of Technology (IIT), Ropar, Department of Higher Education, Ministry of Education
(Iit Ropar, Revenue Account)

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

6 Module Pvc Box

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	5	15

8 Module Pvc Box

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	5	15

12 Module Pvc Box

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnagar, ROPAR, 140001	5	15

6 Module Sheet

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnagar, ROPAR, 140001	5	15

8 Module Sheet

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnagar, ROPAR, 140001	5	15

12 Module Sheet

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	5	15

Switch 10 Amp

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	80	15

Switch 20 Amp

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	80	15

Socket 10 Amp

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	80	15

Socket 20 Amp

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnagar, ROPAR, 140001	80	15

Two Way Switch 20 Amp

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	15	15

2 Module Switch 25 Amp

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	10	15

2 Module Fan Regulator

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	50	15

2 Module Fan Regulator

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	50	15

Surface Mounted Ceiling Light 15 Watt

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	50	15

Ceiling Round Light 12 W

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	50	15

Fan Capacitor 2.5 MFD

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	100	15

Pvc Batten 32 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	20	15

Pvc Batten 25 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	50	15

Pvc Pipe 25 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnagar, ROPAR, 140001	50	15

Pvc Bend 25 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	50	15

J.B 25 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	50	15

Pvc Gitti 6 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	1000	15

Batten Gitti

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	50	15

Pvc Saddle 25 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnagar, ROPAR, 140001	100	15

Isulation Tape

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	30	15

Flood Light 50 Watt

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	5	15

Flood Light 150 Watt

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	5	15

Flexiable Pipe 25 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	20	15

Cable FR LSH 2 Core Zero Point Zero Seven Five Sq Mm Of Copper

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnagar, ROPAR, 140001	100	15

Cable FR LGH 3 Core One Point Five Sq Mm Of Copper

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	100	15

Cable FR-LSH 3 Core Two Point Five Sq Mm Of Of Copper

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	100	15

Cable FR-LSH 3 Core 4 Sq Mm Of Copper

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	100	15

Cable FR-LSH 3 Core 6 Sq Mm Of Copper

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	100	15

Aluminium Cable 4 Core 10 Sq Mm Armoured

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnagar, ROPAR, 140001	100	15

Copper Ring Type Thimble 16 Sq Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	50	15

Copper Ring Type Thimble 35 Sq Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	50	15

Aluminium Thimble Ring Type 6 X 10 Sq Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	200	15

Aluminium Thimble Ring Type 6 X 16 Sq Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	200	15

Aluminium Thimble Straight Type 10 Sq Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnagar, ROPAR, 140001	100	15

Aluminium Thimble Straight Type 16 Sq Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnagar, ROPAR, 140001	100	15

Aluminium Thimble Ring Type 25 Sq Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnagar, ROPAR, 140001	20	15

Aluminium Thimble Ring Type 35 Sq Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	20	15

Aluminium Thimble Ring Type 50 Sq Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	20	15

Aluminium Thimble Ring Type 95 Sq Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnagar, ROPAR, 140001	20	15

Aluminium Thimble Ring Type 120 Sq Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	20	15

Aluminium Thimble Ring Type 150 Sq Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	20	15

Aluminium Thimble Ring Type 185 Sq Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	20	15

Aluminium Thimble Ring Type 240 Sq Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	20	15

Aluminium Thimble Ring Type 300 Sq Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	20	15

Aluminium Thimble Ring Type 400 Sq Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	20	15

Fan Bearing 6201

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	50	15

Fan Bearing 6202

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	50	15

Bearing Puller

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	4	15

Red Gel Grease

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	10	15

Ht Tape

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	20	15

Silca Gel Transformer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	30	15

Steel Wire

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	5	15

Panel Lock Power Coated Pin Type

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	150	15

Panel Lock Push Pin Type

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnagar, ROPAR, 140001	150	15

Aluminium Thimble Pin Type 4mm Sq Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnagar, ROPAR, 140001	200	15

Aluminium Thimble Pin Type 6 Sq Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnagar, ROPAR, 140001	200	15

Aluminium Thimble Pin Type 10 Sq Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	100	15

Aluminium Thimble Pin Type 16 Sq Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	50	15

Aluminium Thimble U Type 2.5 Sq Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnagar, ROPAR, 140001	50	15

Aluminium Thimble U Type 4 Sq Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnagar, ROPAR, 140001	50	15

Aluminium Thimble U Type 6 Sq Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnagar, ROPAR, 140001	50	15

Aluminium Thimble U Type 10 Sq Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	50	15

Copper Thimble Ring Type 6 X 2.5 Sq Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	50	15

MCB SINGLE POLE 6 AMP TRIPING RANGE -C

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnagar, ROPAR, 140001	60	15

MCB SINGLE POLE 16 AMP TRIPING RANGE -C

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	60	15

Extension Borad

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	15	15

Plug Top 6 Amp

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	100	15

Plug Top 16 Amp

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	150	15

Fan Clamp

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnagar, ROPAR, 140001	50	15

Geyser Element 2000W

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	20	15

Themostate

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	20	15

Ovicart 30A 3Way Bakelite Connector Black

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	20	15

Charcoal

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	500	15

Salt

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	500	15

Coolant DG

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	50	15

L -Key Scerw 8 Mm X 2 Inch

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	50	15

L -Key Scerw 5 Mm X 2 Inch

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	50	15

Street Light Pole Mcb Box Closed Plate

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	20	15

Digital Timer Switch Cat No 67DDT0 -110 V -240 V AC

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnagar, ROPAR, 140001	15	15

Battery Water

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	50	15

Sleeve 4 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	100	15

Driver Led 40 Watt Zero Pint Seven Amp Philips Xitanium 45 - 58 V Dc

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	50	15

Mcpcba 16 Led Seoul 3535 4000 Cct Size 102 And Half 5 X 102 And Half Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	50	15

Battery Terminals

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnagar, ROPAR, 140001	50	15

Gi Nut Bolt With Washer 8 X 40 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	15	15

Gi Nut Bolt With Washer 10 X 50 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	15	15

Gi Nut Bolt With Washer 6 X 35 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	10	15

GI Strip 25 X 5 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	5	15

Bakelite Connector Plate 63 Amp 4 Bolt Type 3PH

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	35	15

Wire 1.5 Sqmm Single Core Copper FR-LSH

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnagar, ROPAR, 140001	90	15

Wire 2.5 Sqmm Single Core Copper FR-LSH

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnagar, ROPAR, 140001	90	15

Wire 4 Sqmm Single Core Copper FR-LSH

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	90	15

Wire 6 Sqmm Single Core Copper FR-LSH

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	90	15

Meco 27 Auto Digital Clamp Meter 600 Amp

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	2	15

66 KV Line Gloves

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	2	15

11 Kv Line Gloves

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	10	15

66 Line Discharge Rod

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	3	15

Tool Bag

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	5	15

Nose Plier

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnagar, ROPAR, 140001	5	15

Plier

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	20	15

Screw Driver 2 In One With Sleeve 12 Inch

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	20	15

Screw Driver 2 In One With Sleeve 6inch

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	20	15

L-Key Set

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	5	15

Hack Saw Blade Double Side

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	50	15

Grees Gun

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	2	15

Totta Wrench

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	1	15

Slide Wrench 12 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	2	15

Slide Wranch 8mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	2	15

Oil Kuppi

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnagar, ROPAR, 140001	2	15

Pipe Wrench Small Side

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	1	15

Ring Snanner Set

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	3	15

Screw Driver Kit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	5	15

Hammer 250 Gm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	2	15

Thimble Crimping Tool Upto 10sqmm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Abhinav Raj	140001,M. Visvesvaraya Block, Indian Institute of Technology Ropar, Rupnangar, ROPAR, 140001	2	15

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

4. Sample Clause

After award of contract – Successful Bidder shall have to get advance sample approved from buyer before bulk manufacturing / starting bulk supplies. Successful Bidder shall submit

1

samples for Buyer's approval, within 5 days of award of contract. Buyer shall, as per contract specifications

framework, either approve the advance sample or will provide complete list of modification required in the sample within 5 days of receipt of advance sample. Seller shall be required to ensure supply as per approved sample with modifications as communicated by Buyer. If there is delay from buyer side in approval of advance sample – the delivery period shall be refixed without LD for the period of delay in sample approval. In case, the sample is found to have major deviations / not conforming to the Contract specifications, the buyer at its discretion may call for fresh samples for approval before allowing bulk supplies or may terminate the contract after notifying the deviations to the seller.

Unless otherwise provided in the contract, all samples required for test shall be supplied by the contractor free of cost. Where under the contract, the contractor is required to submit an advance sample, any expenses incurred by the contractor on or in connection with the production of stores in bulk, before the sample has been approved unconditionally shall be borne by the Seller and he shall not claim any compensation in the event of such sample being found unacceptable by the Buyer / Consignee.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---