

No. IITRPR/EE/Q/22/223

Dte: 02.06.2022

NOTICE INVITING QUOTATION

Second Call

The Executive Engineer, IIT Ropar on behalf of the Director, IIT Ropar invites item rate quotation in the attached format from the authorized service centers of Kirloskar Cummins for the following work at Permanent Campus of IIT Ropar.

S.	Name of Work	Estimated Cost	Earnest Money	Time
No.		(in Rs.)	Deposit	Period
1	Servicing of 750 KVA DG Set Installed at Transit Campus of IIT Ropar.	97,696/-	1960/-	15 days

1. ELIGIBILITY CRITERIA:-

- i. Contractor who fulfill the following requirements shall be eligible to apply:
 - a) Authorized service agency/authorized dealer of Cummins Generator.
- ii. Documents to be submitted with the Quotation:
 - a) Certificate for authorized service agency / Authorized dealer for Cummins Generator.
 - b) EMD of Rs. 1960/- in the shape of Demand Draft in favour of "IIT Ropar Revenue Account" Payable at Ropar/Rupnagar, Punjab.
 - c) GST Registration.
 - d) Signature on all pages.
 - e) PAN registration with the Income Tax Department.
 - f) Price quoted in the Prescribed Format "A". Signed and stamped.
 - g) Signature & stamp on all document.

Envelope of sealed quotation should superscribe of the Name of work, date & opening of quotation.

The Quotation must be submitted in the Works and Estate Section, Second Floor, East Wing, M.
Visvesvaraya Block, Permanent Campus, IIT Ropar- 140001 on or before 09.06.2022 upto 3:00

PM & shall be opened on the same day at 3.30 PM in the presence of bidders or their representatives, who may like to be present .

- 3. The quotations received through Email shall not be entertained.
- 4. Prices should be quoted in the prescribed Format "A". No advance payment will be made to the agency.
- 5. Conditional quotations shall be rejected.
- Duration of work shall be 15 days. Service has to be carried out on specific date mentioned by IIT Ropar. Contractor/ service agency has to give for serving DC 48 hours prior intimation.
- 7. The quotation shall be valid for 30 days.
- 8. The rate quoted shall be inclusive of all taxes including Goods and Services Taxes (GST).
- 9. Nothing extra will be paid to the agency by the Institute.
- 10. The work can be terminated at any time.
- 11. Debarred agency/ or individual shall not participate in the Quotation process.
- 12. Quotationer may inspect the site of execution of work before submission of quotation to understand the scope of work in all respects.
- 13. The quantities of items in the schedule are tentative which may increase or decrease depending upon site conditions.
- 14. Earnest Money Deposit in shape of Demand Draft in favour of "IIT Ropar Revenue Account" Payable at Ropar/Rupnagar, Punjab of Rupees Nineteen Hundred Sixty Only (Rs. 1960/-) must be submitted along with quotation without which the quotation will be rejected. The EMD of a successful bidder will be converted into security deposit for work and shall be returned after one months of satisfactory completion of work and rectification of defect, if any.
- 15. Security deposit @ 2.5% of the value of work done shall be deducted and released after satisfactory completion of defect liability period of one month from the date of completion of work.
- 16. The Director, IIT Ropar reserves the right to cancel any or all quotations without assigning any reason.
- 17. Enclosure : Format "A"
- 18. Arbitration: In the unfortunate situation if any and all disputes, disagreements and controversies arising in any manner, which cannot be settled by mutual agreement between the two parties, shall be resolved through arbitration. The number of arbitrators shall be ONE, shall be appointed by the Director, IIT Ropar. The decision of sole arbitrator shall be final and binding to both

parties. All provisions of Arbitration and Conciliation Act 1996 (with amendments) shall apply and the legal place of arbitration shall be Rupnagar, Punjab. The language of arbitration proceedings shall be English. The Court which has jurisdiction in the matter is District Court, Rupnagar, Punjab.

Executive Engineer

Copy to:-

(1) PA to Registrar, IIT Ropar.

(2) Assistant Registrar (Accounts) to make provision of Rs. 97,696/- in relevant budget head.

(3) Computer Centre, for uploading please.

(4) Sr.Project Engineer, IIT Ropar

(5) JuniorEngineer Electrical, IIT Ropar

Servicing of 750 KVA DG Set Installed at Transit Campus of IT Robar Sholp Description of tems Unit QN Revicing of 750 KVA DG Set is per as required. Nois 1 1 Supplying and fixing of B check including providing Kit KV for 750 KVA DG set as per as required. Nois 1 2 2 2 Supplying and filling of Creaseing (400 GRMS) for 750 KVA DG set as per as required. Nois 1 2 2 3 Supplying and filling of Valvoline Prenum blue 7800 Plus 1/55 Ltr for 750 KVA DG set as per as required. Nois 1 2 2 5 Supplying and filling of Valvoline Prenum blue 7800 Plus 1/55 Ltr for 750 KVA DG set as per as required. Nois 1 2 2 6 Supplying and filling of Valvoline Prenum blue 7800 Plus 1/55 Ltr for 750 KVA DG set as per as required. Nois 1 2 2 2 7 Supplying and filling of Valvoline Prenum blue 7800 Plus 1/50 Ltr for 750 KVA DG set as per as required. Nois 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		Format A					
Description of Items Unit City Rate ing and fixing of B check including providing Kt KV for 750 KVA DG Set as per as required. Nos 1 You ing of Greaseling (400 GRMS) for 750 KVA DG set as per as required. Nos 1 You You ing and Handling/ for P & F 750 KVA DG set as per as required. Nos 1 You You ing and Handling/ for P & F 750 KVA DG set as per as required. Nos 1 You You ing and filling of Valvoline Premum blue 7800 Plus 1/55 Ltr for 750 KVA DG set as per as Nos 2 You You d. Band filling of Valvoline Premum blue 7800 Plus 1/55 Ltr for 750 KVA DG set as per as Nos 1 You You d. Sand filling of Valvoline Premum blue 7800 Plus 1/55 Ltr for 750 KVA DG set as per as Nos 1 You You d. Sand filling of Valvoline Premum blue 7800 Plus 1/55 Ltr for 750 KVA DG set as per as Nos 1 You You d. Sand filling of Valvoline Premum blue 7800 Plus 4/5 Ltr for 750 KVA DG set as per as Nos 1 You You d. Sand filling of Valvoline Premum blue 7800 Plus 4/5 Ltr for 750 KVA DG set as per as Nos 1 You<			,				
ing and fixing of B check including providing Kit KV for 750 KVA DG Set as per as required. Nos ing of Greaseing (400 GRMS) for 750 KVA DG set as per as required. Nos ing and Handling/ for P & F 750 KVA DG set as per as required. Nos ing and filling of Valvoline Premum blue 7800 Plus 1/55 Ltr for 750 KVA DG set as per as Nos d. Nos d. Mos d. Mos ing and filling of Valvoline Premum blue 7800 Plus 1/10 Ltr for 750 KVA DG set as per as the filling of Valvoline Premum blue 7800 Plus 1/10 Ltr for 750 KVA DG set as per as the filling of Valvoline Premum blue 7800 Plus 1/10 Ltr for 750 KVA DG set as per as the filling of Valvoline Premum blue 7800 Plus 1/10 Ltr for 750 KVA DG set as per as the filling of Valvoline Premum blue 7800 Plus 1/10 Ltr for 750 KVA DG set as per as the filling of Valvoline Premum blue 7800 Plus 1/10 Ltr for 750 KVA DG set as per as the filling of Valvoline Premum blue 7800 Plus 1/10 Ltr for 750 KVA DG set as per as the filling of Valvoline Premum blue 7800 Plus 1/10 Ltr for 750 KVA DG set as per as the filling of Valvoline Premum blue 7800 Plus 1/10 Ltr for 750 KVA DG set as per as the filling of Valvoline Premum blue 7800 Plus 4/5 Ltr for 750 KVA DG set as per as the filling of Valvoline Premum blue 7800 Plus 4/5 Ltr for 750 KVA DG set as per as the filling of Valvoline Premum blue 7800 Plus 4/5 Ltr for 750 KVA DG set as per as the filling of Cleaning of Cleaning of Cleaning	S.no	Description of Items	Unit	Qty	Rate	Amount	
ing of Greaseing (400 GRMS) for 750 KVA DG set as per as required. Nos ing and Handling/ for P & F 750 KVA DG set as per as required. Nos ing and filling of Valvoline Premum blue 7800 Plus 1/55 Ltr for 750 KVA DG set as per as Nos d. d. d. filling of Valvoline Premum blue 7800 Plus 1/10 Ltr for 750 KVA DG set as per as Nos d.	1	providing	Nos	-			
ing and Handling/ for P & F 750 KVA DG set as per as required. Nos and filling of Valvoline Premum blue 7800 Plus 1/55 Ltr for 750 KVA DG set as per as Nos and filling of Valvoline Premum blue 7800 Plus 1/10 Ltr for 750 KVA DG set as per as Nos and filling of Valvoline premum blue 7800 Plus 1/10 Ltr for 750 KVA DG set as per as Nos and filling of Valvoline premum blue 7800 Plus 4/5 Ltr for 750 KVA DG set as per as Nos and filling of Valvoline premum blue 7800 Plus 4/5 Ltr for 750 KVA DG set as per as Nos and filling of Valvoline premum blue 7800 Plus 4/5 Ltr for 750 KVA DG set as per as no valvoline premum blue 7800 Plus 4/5 Ltr for 750 KVA DG set as per as Nos and filling of Valvoline premum blue 7800 Plus 4/5 Ltr for 750 KVA DG set as per as required. Nos and filling of Foil sealed test strips CC 2602 B for 750 KVA DG set as per as required. Nos no and using of Foil sealed test strips CC 2602 B for 750 KVA DG set as per as required. Nos can dusing of Foil sealed test strips CC 2602 B for 750 KVA DG set as per as required. Nos can dusing of Cleaning Cloth for 750 KVA DG set as per as required. Nos charges for Servicing of 750 KVA DG set as per as required. Nos	2	Supplying of Greaseing (400 GRMS) for 750 KVA DG set as per as required	Nos				
Supplying and filling of Valvoline Premum blue 7800 Plus 1/55 Ltr for 750 KVA DG set as per as Nos Suplying and filling of Valvoline Premum Blue 7800 Plus 1/10 Ltr for 750 KVA DG set as per as Nos Suplying and filling of Valvoline Premum Blue 7800 Plus 4/5 Ltr for 750 KVA DG set as per as Nos Suplying and filling of Valvoline premum blue 7800 Plus 4/5 Ltr for 750 KVA DG set as per as Nos Suplying and filling of Valvoline premum blue 7800 Plus 4/5 Ltr for 750 KVA DG set as per as Nos Supplying and tilling of Valvoline premum blue 7800 Plus 4/5 Ltr for 750 KVA DG set as per as Nos Supplying and using of Oil Extract Bag for 750 KVA DG set as per as required. Nos Supplying and using of Foil sealed test strips CC 2602 B for 750 KVA DG set as per as required. Nos Supplying and using of Foil sealed test strips CC 2602 B for 750 KVA DG set as per as required. Nos Supplying and using of Foil sealed test strips CC 2602 B for 750 KVA DG set as per as required. Nos Supplying and using of Foil sealed test strips CC 2602 B for 750 KVA DG set as per as required. Nos Supplying and using of Foil sealed test strips CC 2602 B for 750 KVA DG set as per as required. Nos Supplying and using of Foil sealed test strips CC 2602 B for 750 KVA DG set as per as required. Nos Supplying and using of Foil sealed test strips CC 2602 B for 750 KVA DG set as per as required. <td< td=""><td>ŝ</td><td>ш</td><td>Nos</td><td>1</td><td></td><td></td><td></td></td<>	ŝ	ш	Nos	1			
g and filling of Valvoline Premum Blue 7800 Plus 1/10 Ltr for 750 KVA DG Set as per as Nos d. g and filling of Valvoline premum Blue 7800 Plus 4/5 Ltr for 750 KVA DG set as per as Nos d. Nos Nos and using of Oil Extract Bag for 750 KVA DG set as per as required. Nos ng and using of Foil sealed test strips CC 2602 B for 750 KVA DG set as per as required. Nos ng and using of Foil sealed test strips CC 2602 B for 750 KVA DG set as per as required. Nos ng and using of Foil sealed test strips CC 2602 B for 750 KVA DG set as per as required. Nos ng and using of Foil sealed test strips CC 2602 B for 750 KVA DG set as per as required. Nos ng and using of Foil sealed test strips CC 2602 B for 750 KVA DG set as per as required. Nos ng and using of Foil sealed test strips CC 2602 B for 750 KVA DG set as per as required. Nos ng and using of Foil sealed test strips CC 2602 B for 750 KVA DG set as per as required. Nos ng and using of Cleaning Cloth for 750 KVA DG set as per as required. Nos charges for Servicing of 750 KVA DG set. (includes all overheads) Nos	4	Supplying and filling of Valvoline Premum blue 7800 Plus 1/55 Ltr for 750 KVA DG set as per as required.	Nos	2			
g and filling of Valvoline premum blue 7800 Plus 4/5 Ltr for 750 KVA DG set as per as Nos ng and using of Oil Extract Bag for 750 KVA DG set as per as required. Nos ng and using of Foil sealed test strips CC 2602 B for 750 KVA DG set as per as required. Nos ng and using of Foil sealed test strips CC 2602 B for 750 KVA DG set as per as required. Nos ng and using of Foil sealed test strips CC 2602 B for 750 KVA DG set as per as required. Nos ng and using of Foil sealed test strips CC 2602 B for 750 KVA DG set as per as required. Nos ng and using of Foil sealed test strips CC 2602 B for 750 KVA DG set as per as required. Nos ng and using of Foil sealed test strips CC 2602 B for 750 KVA DG set as per as required. Nos ng and using of Foil sealed test strips CC 2602 B for 750 KVA DG set as per as required. Nos ng and using of Cleaning Cloth for 750 KVA DG set as per as required. Nos ng and using of Set for Set for For 750 KVA DG set as per as required. Nos Charges for Servicing of 750 KVA DG Set. (includes all overheads) Nos		and filling of Valvoline Premum Blue 7800 Plus 1/10 Ltr for 750 KVA DG	Nos	ſ			
ng and using of Oil Extract Bag for 750 KVA DG set as per as required. Nos ng and using of Foil sealed test strips CC 2602 B for 750 KVA DG set as per as required. Nos ng and using of Cleaning Cloth for 750 KVA DG set as per as required. Nos Charges for Servicing of 750 KVA DG set. (includes all overheads) Nos	9	Suplying and filling of Valvoline premum blue 7800 Plus 4/5 Ltr for 750 KVA DG set as per as required.	Nos	1			
ng and using of Foil sealed test strips CC 2602 B for 750 KVA DG set as per as required. Nos ng and using of Cleaning Cloth for 750 KVA DG set as per as required. Nos Charges for Servicing of 750 KVA DG Set. (includes all overheads) Nos	2		Nos	10			
ng and using of Cleaning Cloth for 750 KVA DG set as per as required. Nos Charges for Servicing of 750 KVA DG Set. (includes all overheads) Nos	[∞]	Supplying and using of Foil sealed test strips CC 2602 B for 750 KVA DG set as per as required.	Nos	1			
Charges for Servicing of 750 KVA DG Set. (includes all overheads) Nos	6		Nos	2			
ount in Words:-	10	Service Charges for Servicing of 750 KVA DG Set. (includes all overheads)	Nos	Ţ			
	ount in	Words:-	_				Ż
							X

т. с. Г. к.

C