



भारतीय प्रौद्योगिकी संस्थान रोपड  
INDIAN INSTITUTE OF TECHNOLOGY ROPAR  
रुपनगर, पंजाब-140001 / , Rupnagar, Punjab-140001  
दूरभाष/Tele:+91-1881-235101, email: ee@iitrpr.ac.in

No. IITRPR/EE/Q/2020/202

Date: 22/01/2020

**NOTICE INVITING QUOTATION**

The Executive Engineer, IIT Ropar for and on behalf of the Director, IIT Ropar invites percentage quotation in the attached format from the bonafide agencies and eligible registered contractors of CPWD/ PWD B&R/ MES/ PUDA/Railway/BSNL, other registered contractors Central/State Government and organizations of appropriate class for the following work at permanent campus of IIT Ropar.

S. No.	Name of Work	Estimated Cost (in Rs.)	Time Period
1	Partitioning work on 3rd Floor of M . Visvesvaraya Block of IIT Ropar.	1,40,355	25 Days

**1. ELIGIBILITY CRITERIA:-**

i. Contractor who fulfill the following requirements shall be eligible to apply:-

- a) Should have satisfactorily completed the works as mentioned below during the last seven years ending the last day of submission of application.

3 (three) Similar Works\* each of value not less than 40% of the estimated cost put to quotation.

OR

2(two) Similar Works\* each of value not less than 60% of the estimated cost put to quotation.

OR

1(one) Similar Works\* of value not less than 80% of the estimated cost put to quotation.

\*Similar Works means "Civil Works"

- b) Enlistment contractors of appropriate class in Central & State Government and Organization.
- c) Joint Ventures are not accepted.

**ii. Documents to be submitted with the Quotation:**

- a) Enlistment order of the contractor/ Registration of firm.
- b) Required experience/ completion certificate of work.
- c) GST Registration.
- d) Signature on all pages.
- e) PAN registration with Income Tax Department.
- f) Price quoted in the Prescribed Format "A". Signed and stamped.
- g) Signature & stamp.

Envelope of sealed quotation should superscribe of the Name of work, date & opening of quotation.

2. The Quotation must be submitted in the Tender box placed in front of room no 217, second floor, M. Visvesvaraya Block, Permanent Campus, IIT Ropar- 140001 on or before 28.01.2020 upto 3:00 PM & shall be opened on the same day at 3.30 Pm in the presence of bidders or their representatives, who may like to be present .
3. The quotations received through Email shall not be entertained.
4. Prices should be quoted in the prescribed Format "A". No advance payment will be made to the agency.
5. Conditional quotations shall be rejected.

6. Duration of work shall be 25 days from the issue of work order.
7. The quotation shall be valid for 30 days.
8. The rate quoted shall be inclusive of all taxes including Goods and Services Taxes (GST).
9. Nothing extra will be paid to the agency by the Institute.
10. The work can be terminated at any time without giving any reason and notice.
11. Debarred agency/ or individual shall not to participate in the Quotation process.
12. Quotations may inspect the site of execution of work before submission of quotation to understand the scope of work in all respects.
13. The quantities of items in schedule are tentative which may increase or decrease depending upon site conditions.
14. Earnest Money Deposit in shape of Demand Draft in favour of " IIT Ropar Revenue Account" Payable at Ropar/Rupnagar, Punjab of Rupees Two Thousand Eight Hundred Only (Rs. 2800/-) must be submitted along with quotation without which the quotation will be rejected. The EMD of unsuccessful bidder will be converted into security deposit for work and shall be returned after three months of satisfactory completion of work and rectification of work, if any.
15. Security deposit @ 5% of the value of work done shall be deducted and released after satisfactory completion of defect liability period of one month from the date of completion of work.
16. Penalty @ 1.5% per day upto a maximum of 10% of the tendered value shall be imposed for delay in work beyond the stipulated date of completion.
17. The Director, IIT Ropar reserves the right to cancel any or all quotations without assigning any reason.
18. Enclosure : Format "A"
19. **Arbitration:** In the unfortunate situation if any and all disputes, disagreements and controversies arising in any manner, which cannot be settled by mutual agreement between the two parties, shall be resolved through arbitration. The number of arbitrators shall be ONE, shall be appointed by the Director, IIT Ropar. The decision of sole arbitrator shall be final and binding to both parties. All provisions of Arbitration and Conciliation Act 1996 (with amendments) shall apply and the legal place of arbitration shall be Rupnagar, Punjab. The language of arbitration proceedings shall be English. The Court which have jurisdiction in the matter is District Court, Rupnagar, Punjab.



22/1  
Executive Engineer  
IIT Ropar

**Copy to:-**

- (1) Registrar, IIT Ropar.
- (2) Assistant Registrar (Accounts) to make provision of Rs. 1,40,355/- in relevant budget head.
- (3) Computer Centre, for uploading please.
- (4) Coordinator, Quotation Opening Committee.



22/1  
Executive Engineer  
IIT Ropar

## Format A

## Preliminary Estimate for Partitioning and Carpeting Work on 3rd Floor of M. Visvesvaraya Block of IITR Repar.

S No	Description of items	Unit	Quantity	Estimated Cost (in Rupees)	Percentage Above or Below the Estimated	Percentage in figures	Percentage in Words	Total cost in Rupees
1	Providing and fixing 12 mm thick frameless toughened glass door shutter of approved brand and manufacture, including providing need fixing top & bottom pivot & spring type fixing arrangement and making necessary holes etc. for fixing required door fittings, all complete as per direction of Engineer-in-Charge (Door handle, lock and stopper etc. to be paid separately).	sqm	6.7	Rs 140,355				
2	Providing and fixing in stainless steel Grade 304 In stainless steel satin/polish finish 'D' type pull handles to DORMA/Haffel/D-Line or equivalent.							
a.	250 mm	each	4					
3	Providing and fixing in stainless steel grade 304 in stainless steel satin/polish finish corner lock including epic both side key operation and lock keeper plate of approved make and manufacturer with necessary screws etc complete. (Make - DORMA/Haffel/D-Line or equivalent)	each	2					
4	Providing and fixing in stainless steel Grade 304 in stainless steel satin/polish finish door stopper half dome type with 45mm dia with fixing accessories and necessary screws etc. complete. (Make - DORMA/Haffel/D-Line or equivalent)	each	2					
5	Providing and fixing aluminum work for doors, windows, ventilators and partition with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS:33 and IS:1285 fixing with dash fasteners if required dia not sz. including necessary filing up the gaps if at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminum sections shall be smooth, rust free, straight, riveted and joined mechanically wherever required including cleat angle, Aluminium strip bonding for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately).	kg	65					
6	Powder coated aluminum (minimum thickness of powder coating 50 micron) particle board conforming to IS 12023 Grade I Type II, in paneling fixed in aluminum doors, windows, shutters and partition frames with C.P. brass/ stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge	sqm	9.5					
a.	Pre-laminated particle board with decorative lamination on both sides	sqm	9.5					
7	Providing and fixing cladding in aluminum door, window, ventilator shutters and partition etc. with EPDM rubber / neoprene gasket etc. complete as the architectural drawings and the direction of engineer-in-charge. (Cast of aluminum snap bonding shall be paid in basic item).	sqm	3.8					
a.	With float glass panes of 5 mm thickness ( weight not less than 12.50 kg/sqm)	sqm	5.95					
b.	With float glass panes of 8 mm thickness ( weight not less than 20 kg/sqm)	sqm	5.95					
c.	Filling the gap in between aluminum / stone/ woodframe and adjacent PU/CU/Brick/Stone/Wood/Ceramic/Gypsum work by (rounding weather) structural non sog stiffometric PU sealant over backer rod to approved quality as per architectural drawings had direction of Engineer-in-charge complete complying to ASTM C3020 DIN 15540-F & ISD 11500.	m <sup>2</sup> /m	10					
a.	Upto 10 mm depth and 10 mm width							

## Format A

Preliminary Estimate for Partitioning and Carpeting Work on 3rd Floor of M. Visvesvaraya Block of IIT Ropar.						
S.No	Description of Items	Unit	Quantity	Estimated Cost (in Rupees)	Percentage Above or Below the Estimated	Percentage in figures
						Percentage in Words
b.	Upto 20 mm depth and 20 mm width	metre	15			
9.	Providing and fixing decorative high pressure laminate sheet of plain / wood grain in gloss/matt/uvado finish with high density protective surface layer and reverse side of adhesive bonding quality conforming to IS : 2065 Type 3, including cost of adhesive of approved quality					
a.	1.0 mm Thick	sqm	8.8			
10.	Providing and fixing plywood 4 mm thick, one side decorative veneer conforming to IS : 1328 (Type-1) for plain lining / cladding with necessary screws, including priming coat on uncoated surfaces with Decorative veneer facing of approved manufacturer	sqm	4.4			
	Total					

*For mkt - B*

Preliminary Estimate for Partitioning and Carpeting Work on 3rd Floor of M. Visvesvaraya Block of IIT Ropar.					
S.No	Description of items	Unit	Quantity	Rate	Amount
1	Providing and fixing 12 mm thick frameless toughened glass door shutter of approved brand and manufacture, including providing nad fixing top & bottom pivot & spring type fixing arrangement and making necessary holes etc. for fixing required door fittings, all complete as per direction of Engineer-in-charge (Door handle, lock and stopper etc. to be paid separately).	sqm	6.7	4447.9	29600.93
2	Providing and fixing in stainless steel Grade 304 In stainless steel satin/polish finish "D" type put handles to Standard range of approved make and manufacturer with necessary screws etc. complete. Make: DORMA/Haffel/D-Line or equivalent	each	4	3961.83	15847.32
a.	350 mm Providing and fixing in stainless steel grade 304 in stainless steel satin/polish finish corner lock including epc both side key operation and lock keeper plate of approved make and manufacturer with necessary screws etc. complete. (Make:- DORMA/Haffel/D-Line or equivalent)	each	2	6050.15	12,100.30
3	Providing and fixing in stainless steel Grade 304 in stainless steel satin/polish finish door stopper half dome type with 45mm dia with fixing accessories and necessary screws etc. complete. (Make:- DORMA/Haffel/D-Line or equivalent)	each	2	321.57	643.14
4	Providing and fixing aluminum work for doors, windows, ventilators and partition with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS:33 and IS:1285, fixing with dash fasteners to required dia nad siz, including necessary filling up the gaps that junctions, ie. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling. C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately )	kg	85	456.3	38785.50
5	Powder coated aluminium (minimum thickness of powder coating 50 micron)	kg	85	456.3	38785.50
6	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS:12823 Grade I Type II, in panelling fixed in aluminium doors, windows shutters and partition frames with C.P. bras/ stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge.	sqm	9.5	1046.9	9945.55
7	Pre-laminated particle board with decorative lamination on both sides Providing and fixing glazing in aluminium door, window, ventilator shutters and partition etc. with EPDM rubber / neoprene gasket etc. complete as the architectural drawings and the direction of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item):	sqm	3.9	1296.4	5055.96
a.	With float glass panes of 5 mm thickness ( weight not less than 12.50 kg/sqm)	sqm	3.9	1296.4	5055.96

S.No	Description of items	Unit	Quantity	Rate	Amount
b.	With float glass panes of 8 mm thickness (weight not less than 20 kg/sqm). Filling the gap in between aluminium / stone/ woodframe and adjacent RCC/Brick/Stone/Wood/Ceramic/ Gypsum work by providing weather/ structural non sag elastomeric PU sealant over backer rod to approved quality as per architectural drawings nad direction of Engineer-in-charge complete, complying to ASTM C920, DIN 18540-F & ISO11600.	sqm	5.95	1462.35	8700.98
8	a. Upto 10 mm depth and 10 mm width b. Upto 20 mm depth and 20 mm width	metre	10	170.55	1705.50
9	Providing and fixing decorative high pressure laminate sheet of plain / wood grain in gloss/matt/suede finish with high density protective surface layer and reverse side of adhesive bonding quality conforming to IS : 2046 Type S. Including cost of adhesive of approved quality.	metre	15	308.7	4630.50
a.	1.0 mm thick	sqm	0.8	717.65	6315.32
10	Providing and fixing plywood 4 mm thick, one side decorative veneer conforming to IS : 1328 ( type-1) for plain lining / cladding with necessary screws,including priming coat on unexposed surface with decorative veneer facings of approved manufacture	sqm	4.4	1551	6824.4
	Total				140355